



# SAFETY DATA SHEET

Preparation Date: 8/5/2015 Revision Date: 2/2/2018 Revision Number: G3

# 1. IDENTIFICATION

Product identifier

Product code: S1246

Product Name: SODIUM CHROMATE, CRYSTAL, CP

Other means of identification

**Synonyms:** Chromic acid, disodium salt, tetrahydrate

Sodium chromate tetrahydrate

CAS #: 10034-82-9
RTECS # GB2958300
CI#: Not available

Recommended use of the chemical and restrictions on use

**Recommended use:** Wood preservation. Paints. Inks. Leather tanning.

Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp

14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000

Order Online At: https://www.spectrumchemical.com

Emergency telephone numberChemtrec 1-800-424-9300Contact Person:Martin LaBenz (West Coast)Contact Person:Ibad Tirmiz (East Coast)

## 2. HAZARDS IDENTIFICATION

### Classification

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 2
Acute toxicity - Inhalation (Gases)	Category 2
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1B
Reproductive toxicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 1

#### Label elements

Product code: S1246 Product name: SODIUM 1/15

### Danger

#### Hazard statements

Toxic if swallowed

Fatal in contact with skin

Fatal if inhaled

Causes severe skin burns and eye damage

May cause allergy or asthma symptoms or breathing difficulties if inhaled


May cause an allergic skin reaction

May cause genetic defects

May cause cancer

May damage fertility or the unborn child

Causes damage to organs through prolonged or repeated exposure



### Hazards not otherwise classified (HNOC)

Not Applicable

## Other hazards

Not available

# **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Do not eat, drink or smoke when using this product

Wear respiratory protection

Wear protective gloves/protective clothing/eye protection/face protection

Do not get in eyes, on skin, or on clothing

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing must not be allowed out of the workplace

### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Immediately call a POISON CENTER or doctor/physician

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Do NOT induce vomiting

### **Precautionary Statements - Storage**

Product code: S1246 Product name: SODIUM 2 / 15

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Sodium Chromate Tetrahydrate	10034-82-9	100

#### 4. FIRST AID MEASURES

First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you

have a poison emergency and need to talk to a poison specialist. Call

1-800-222-1222. Ensure that medical personnel are aware of the material(s)

involved and take precautions to protect themselves.

Skin Contact: Wash off immediately with soap and plenty of water. Remove all contaminated clothes and

shoes. Continue flushing with plenty of water for at least 15 minutes. Immediate medical

attention is required. Call a physician or Poison Control Centre immediately.

Eye Contact: Flush eyes with water for 15 minutes. Immediate medical attention is required. Call a

physician immediately.

**Inhalation:** Move to fresh air. If breathing is difficult, give oxygen. WARNING! It may be hazardous to

the person providing aid to give mouth-to-mouth resuscitation when the inhaled or ingested material is toxic, infectious or corrosive. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate

medical attention is required.

**Ingestion:** Toxic if swallowed. Do not induce vomiting without medical advice. Never give anything by

mouth to an unconscious person. Immediate medical attention is required. Call a physician

or Poison Control Center immediately.

# Most important symptoms and effects, both acute and delayed

**Symptoms** Severe skin and eye irritation or burns

Chromic sores (ulcers) on the skin

May affect the liver

It may affect the kidneys

May cause allergic respiratory reaction

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause an allergic skin reaction

Causes digestive (gastrointestinal) tract irritation May cause gastrointestinal (digestive) tract burns

Can burn mouth, throat, and stomach

May cause abdominal pain, nausea, vomiting, diarrhea

May cause epigastric pain

gastroenteritis Sore throat Thirst

It may affect the blood

Somnolence

May affect the cardiovascular system May cause mydriasis (dilated pupils)

Perforation of the nasal septum if inhaled in excessive quantities

# Indication of any immediate medical attention and special treatment needed

Product code: S1246 Product name: SODIUM 3 / 15

Notes to Physician: Treat symptomatically.

**Protection of first-aiders** 

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

### 5. FIRE-FIGHTING MEASURES

**Extinguishing Media** 

Suitable Extinguishing Media: The product is not flammable. If it is involved in a fire,

extinguish the fire using an agent suitable for the type of

surrounding fire.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

**Hazardous Combustion Products:** If it is involved in a fire the following can be released:.

Sodium Oxides. Chromium oxides.

**Specific hazards:** The product is not flammable, but it may cause fire when

in contact with other material. Contact with combustible or

organic materials may cause fire. When heated to

decomposition it emits toxic fumes. Toxic chromium oxide fumes may form in fire. Hydrazine is decomposed

explosively by chromates.

**Special Protective Actions for Firefighters** 

Specific Methods: No information available.

**Special Protective Equipment for Firefighters:** As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Use personal

protective equipment. Avoid contact with skin, eyes and clothing. Evacuate personnel to safe areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid breathing dust. Avoid dust formation. Keep combustibles (wood, paper, oil, clothing, etc.) away from spilled material. Remove all

sources of ignition.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Cover with plastic sheet to prevent

spreading.

**Methods for cleaning up**Use appropriate tools to put the spilled material in a suitable chemical waste

disposal container. Do not use combustible materials such as paper towels, sawdust, clothing, etc. to clean up spill. Clean contaminated surface thoroughly.

Product code: \$1246 Product name: SODIUM 4/15

### 7. HANDLING AND STORAGE

### Precautions for safe handling

### **Technical Measures/Precautions:**

Provide sufficient air exchange and/or exhaust in work rooms. Avoid dust formation. Remove all sources of ignition. Keep away from incompatible materials.

### Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe dust. Use only in well-ventilated areas. Keep away from heat and sources of ignition. Keep away from combustible material. Handle in accordance with good industrial hygiene and safety practice.

### Conditions for safe storage, including any incompatibilities

### **Technical Measures/Storage Conditions:**

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store in a segregated and approved area. Store away from incompatible materials.

### **Incompatible Materials:**

Reducing agents Organic materials Combustible materials

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

# National occupational exposure limits

### **United States**

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WEEL
Sodium Chromate	10034-82-9	0.1 mg/m <sup>3</sup> Ceiling	0.0002 mg/m <sup>3</sup> TWA	0.05 mg/m <sup>3</sup> TWA (as	None
Tetrahydrate		5 ug/m³ TWA	(as Cr)	Cr)	

#### Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Sodium Chromate Tetrahydrate	10034-82-9	Cr)	0.1 mg/m³ Ceiling (as Cr) 0.025 mg/m³ TWA (as Cr)	Cr)	0.05 mg/m³ TWAEV (as Cr)

### **Australia and Mexico**

Components	CAS-No.	Australia	Mexico
Sodium Chromate Tetrahydrate	10034-82-9	0.05 mg/m³ TWA (as Cr)	0.05 mg/m³ TWA (as Cr)

### Appropriate engineering controls

### Engineering measures to reduce exposure:

Ensure adequate ventilation, especially in confined areas. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Product code: S1246 Product name: SODIUM 5 / 15

### Individual protection measures, such as personal protective equipment

# **Personal Protective Equipment**

Eye protection: Goggles

Skin and body protection: Gloves

> Long sleeved clothing Chemical resistant apron

Respiratory protection: Wear respirator with dust filter. Be sure to use an approved/certified respirator or

equivalent.

Avoid contact with skin, eyes and clothing. When using, do not eat, drink or Hygiene measures:

smoke. Wash hands and face before breaks and immediately after handling the

product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Appearance: Color: Solid Crystals. Yellow.

Odor: Formula: **Taste** Odorless. No information available. Na2CrO4.4H2O

Molecular/Formula weight: Flammability: Flashpoint (°C/°F): No information available No information available. 234.06 g/mol

Flash Point Tested according to:

Not available

Autoignition Temperature (°C/°F):

No information available

**Lower Explosion Limit (%):** No information available

Melting point/range(°C/°F): Decomposition temperature(°C/°F): No information available No information available

No information available

Boiling point/range(°C/°F):

**Upper Explosion Limit (%):** 

No information available

**Evaporation rate:** 

Odor threshold (ppm):

No information available

**Bulk density:** 

Vapor density:

No information available

Density (g/cm3):

No information available

Specific gravity: :Ha

No information available

No information available

Vapor pressure @ 20°C (kPa): No information available

VOC content (g/L):

No information available No information available

No information available

Partition coefficient **Viscosity:** No information available

(n-octanol/water):

No information available

Miscibility: Solubility: No information available Soluble in Water

Slightly soluble in alcohol

# 10. STABILITY AND REACTIVITY

Reactivity

Reactive with reducing agents, combustible materials, and organic materials.

**Chemical stability** 

Product code: S1246 Product name: SODIUM 6/15

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Ignition sources. Incompatible materials. Contact with combustible materials

(wood, paper, oil, clothing, etc.).

Reducing agents **Incompatible Materials:** 

> Organic materials Combustible materials

Hazardous decomposition

products:

Sodium oxides. Chromium oxides.

Other Information

Corrosivity: Non-corrosive in the presence of glass

Special Remarks on Corrosivity: No information available

# 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

# **Principal Routes of Exposure:**

Ingestion. Inhalation. Skin.

## **Acute Toxicity**

# **Component Information**

Sodium Chromate Tetrahydrate

CAS-No. 10034-82-9 LD50/oral/rat = No information available

LD50/oral/mouse = No information available

LD50/dermal/rabbit = 101 mg/kg (RTECS)

LD50/dermal/rat = No information available

LC50/inhalation/rat = No information available **LC50/inhalation/mouse** = No information available

Other LD50 or LC50information = 136 mg/kg oral LD50 Rat for Sodium Chromate, anhydrous (CAS no.

7775-11-3)(from LOLI and European Chemicals Bureau IUCLID dataset)

104 mg/m3 Inhalation LC50 Rat for Sodium Chromate, anhydrous (CAS no. 7775-11-3)(from LOLI and European Chemicals Bureau IUCLID dataset)

**Product Information** 

LD50/oral/rat =

**VALUE- Acute Tox Oral =** No information available

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = 101 mg/kg

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

Product code: S1246 Product name: SODIUM 7/15

LC50/inhalation/rat

VALUE-Vapor = No information available
VALUE-Gas = No information available
VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available
VALUE - Gas = No information available
VALUE - Dust/Mist = No information available

**Symptoms** 

**Skin Contact:** Fatal in contact with skin. Fatal if absorbed through skin. Causes severe irritation

and burns. Contact with broken skin may cause ulcers (chromic sores) and absorption, which may cause systemic poisoning affecting behavior/central nervous system(muscle weakness, somnolence), kidneys and liver and

respiration.

**Eye Contact:** Causes severe irritation and burns. Contact can cause blurred vision, redness,

pain, severe irritation, conjunctivitis, and corneal tissue burns. It may cause

corneal injury or blindness.

**Inhalation** Fatal if inhaled. Irritating to respiratory system. It is destructive to the tissues of the

mucous membranes and upper respiratory tract. It may cause ulceration and perforation of the nasal septum. Symptoms may include sore throat, coughing. shortness of breath, and labored breathing. It may cause pulmonary edema, and

sensitization or allergic asthma.

**Ingestion** Toxic if swallowed. Ingestion can cause severe burns of the mouth, throat, and

stomach, leading to death. It can cause sore throat, intense thirst, muscle cramps,

vomiting, nausea diarrhea, violent gastroenteritis, violent epigastric pain,

peripheral vascular collapse, liver damage (elevated liver enzymes, acute hepatic failure), acute renal failure, renal tubular necrosis, mydriasis, and may affect behavior/central nervous system (somnolence, dizziness, coma), respiration (respiratory distress syndrome), cardiovascular system (hypotension or hypertension, dysrhythmia, circulatory collapse, shock), and blood

(thrombocytopenia and possibly leukocytosis).

**Aspiration hazard** No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Chronic inhalation may also result in perforation of the nasal septum. May cause

ulceration of the skin. Ulcerations at first may be painless, but may penetrate to the bone producing "chromic holes". Chronic exposure may cause liver an kidney damage. Skin: Sensitizer. May cause allergic skin reaction (allergic contact dermatitis). Prolonged or repeated inhalation can cause respiratory tract irritation, pulmonary fibrosis, emphysema, and asthma. Prolonged or repeated inhalation may cause asthma-like allergy and asthma attacks with shortness of breath,

difficulty breathing, wheezing, coughing, and/or chest tightness.

**Sensitization:** May cause sensitization by inhalation and skin contact.

Mutagenic Effects: May cause genetic defects

DNA damage - hamster ovary

Morphological Transformation Substances - hamster embryo

DNA Damage - Human Fibroblast

Experiments with bacteria and/or yeast have shown mutagenic effects

Product code: \$1246 Product name: SODIUM 8/15

### Mutations in microorganisms

Carcinogenic effects: Carcinogenic. May cause cancer.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Sodium Chromate Tetrahydrate		Carcinogenic to Humans - Monograph 100C [2012]; Monograph 49 [1990]	Human	(Chromium VI compounds)	Present (chromium 0.05 mg/m³ TWA (as CrVI compounds)		Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity

May damage fertility or the unborn child

**Reproductive Effects:** May cause adverse reproductive effects **Developmental Effects:** May cause adverse developmental effects

Teratogenic Effects: No information available

**Specific Target Organ Toxicity** 

**STOT - single exposure** No information available.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Target Organs:

Skin. Eyes. Liver. Kidneys. Respiratory system. Blood.

### 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Ecotoxicity effects:** No data available.

Persistence and degradability: No information available

**Bioaccumulative potential:** No information available.

**Mobility:** No information available.

### 13. DISPOSAL CONSIDERATIONS

## **Disposal Methods**

### Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

## Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal Do not re-use empty containers

Product code: S1246 Product name: SODIUM 9 / 15

Dispose of as unused product.

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Sodium Chromate Tetrahydrate	10034-82-9	None	None	None	None

## 14. TRANSPORT INFORMATION

DOT

**UN-No:** UN3288

**Proper Shipping Name:** Toxic solid, inorganic, n.o.s. (Sodium Chromate)

Hazard Class: 6.

Subsidiary Class No information available

Packing group: II Emergency Response Guide 151

Number

Marine PollutantSevere Marine PollutantDOT RQ (Ibs):No information availableSpecial ProvisionsIB8, IP2, IP4, T3, TP33

Symbol(s): [DOT]: (G) - Identifies proper shipping names for which one or more technical

names of the hazardous material must be entered in parentheses, in association

with the basic description.

**Description:** UN3288, Toxic solid, inorganic, n.o.s. (Sodium Chromate Tetrahydrate), 6.1, II

TDG (Canada)

**UN-No:** UN3288

Proper Shipping Name: Toxic solid, inorganic, n.o.s. (Sodium Chromate)

Hazard Class: 6.1

Subsidiary Risk: No information available

Packing Group:

Marine Pollutant No Information available

**Description:** UN3288, Toxic solid, inorganic, n.o.s. (Sodium Chromate Tetrahydrate), 6.1, II

**ADR** 

**UN-No:** UN3288

Proper Shipping Name: Toxic solid, inorganic, n.o.s. (Sodium Chromate)

Hazard Class: 6.1 Packing Group:

Subsidiary Risk: No information available

Special Provisions 274

**Description:** UN3288, Toxic solid, inorganic, n.o.s. (Sodium Chromate Tetrahydrate), 6.1, II,

**ENVIRONMENTALLY HAZARDOUS** 

IMO / IMDG

**UN-No:** UN3288

**Proper Shipping Name:** Toxic solid, inorganic, n.o.s. (Sodium Chromate)

Hazard Class: 6.1

Subsidiary Risk: No information available

Packing Group:

Marine Pollutant No information available

EMS: F-A Special Provisions 274

**Description** UN3288, Toxic solid, inorganic, n.o.s. (SODIUM CHROMATE TETRAHYDRATE),

6.1, II, Marine pollutant

**RID** 

**UN-No:** UN3288

Product code: S1246 Product name: SODIUM 10 / 15

**Proper Shipping Name:** Toxic solid, inorganic, n.o.s. (Sodium Chromate)

Hazard Class: 6.1

Subsidiary Risk: No information available

Packing Group: II Special Provisions 274

**Description:** UN3288, Toxic solid, inorganic, n.o.s. (Sodium Chromate Tetrahydrate), 6.1, II,

**ENVIRONMENTALLY HAZARDOUS** 

**ICAO** 

UN-No: UN3288

**Proper Shipping Name:** Toxic solid, inorganic, n.o.s. (Sodium Chromate)

Hazard Class: 6.1

Subsidiary Risk: No information available

Packing Group:

**Description:** UN3288, Toxic solid, inorganic, n.o.s. (Sodium Chromate Tetrahydrate), 6.1, II

Special Provisions A3, A5

**IATA** 

UN-No: UN3288

**Proper Shipping Name:** Toxic solid, inorganic, n.o.s. (Sodium Chromate)

Hazard Class: 6.1

Subsidiary Risk: No information available

Packing Group: II ERG Code: 6L

**Special Provisions** No information available

**Description:** UN3288, Toxic solid, inorganic, n.o.s. (Sodium Chromate Tetrahydrate), 6.1, II

### 15. REGULATORY INFORMATION

#### International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Sodium Chromate Tetrahydrate	10034-82-9	Not Listed	Not present	Present	Not present	Present	Present	Not present

## **U.S. Regulations**

Sodium Chromate Tetrahydrate

New Jersey RTK Hazardous Substance List: sn 3575 (chromium VI compounds)

sn 2245 (chromium compounds)

New Jersey (EHS) List: 2245 500lb TPQ (chromium compounds)

New Jersey - Discharge Prevention - List of Hazardous Substances: Present (chromium compounds)
Pennsylvania RTK: Environmental hazard; Special Hazardous Substances (chromium VI compounds)
Pennsylvania RTK - Environmental Hazard List Present (chromium and chromium VI compounds)

Pennsylvania RTK - Special Hazardous Substances Present (chromium VI compounds)

Minnesota - Hazardous Substance List: Carcionogen (as Cr)

Louisana Reportable Quantity List for Pollutants: 100 lb. RQ (chromium compounds)
California Directors List of Hazardous Substances: Present (as Chromium compounds)

### California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

### Chemicals Known to the State of California to Cause Cancer:

MARNING: This product can expose you to chemicals including (see table below) which is (are) known to the State of California to cause cancer. For more information go to www.p65warnings.ca.gov.

#### Chemicals Known to the State of California to Cause Reproductive Toxicity:

AWARNING: This product can expose you to chemicals including (see table below) which is (are) known to the State of California to cause birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

CAS-No.	Carcinogen	Developmental Toxicity	Male	Female

Product code: S1246 Product name: SODIUM 11 / 15

				Reproductive Toxicity:
Sodium Chromate Tetrahydrate	10034-82-9	developmental toxicity (Chromium (VI)	Not Listed	Not Listed
		compounds `		

#### **CERCLA/SARA**

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
	10034-82-9	10 lb. final RQ; 4.54	None	None		0.1%
Tetrahydrate		kg final RQ			compounds	

#### **U.S. TSCA**

Components	CAS-No.	TSCA Section 5(a)2 - Chemicals	TSCA 8(d) -Health and Safety
			Reporting
		(SNURS)	
Sodium Chromate Tetrahydrate	10034-82-9	Not Applicable	Not Applicable

#### Canada

#### WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Component Sodium Chromate Tetrahydrate 10034-82-9 ( 100 ) WHMIS 2015 Hazard Classification

For Sodium Chromate, anhydrous (CAS number 7775-11-3: Oxidizing solids - Undefined: Oxidizing solids - undefined category (hazard class was established from consulted scientific literature but did not allow to specify hazard category); Acute toxicity - Oral -Category 2: H300 Fatal if swallowed. (classification is based on available data for all water-soluble Hexavalent chromium (Cr(VI)) as Potassium dichromate); Acute toxicity - Dermal - Category 4: H312 Harmful in contact with skin. (classification is based on available data for all water-soluble Hexavalent chromium (Cr(VI)) as Potassium dichromate); Acute toxicity - Inhalation - Category 2: H330 Fatal if inhaled. (classification is based on available data for all water-soluble Hexavalent chromium (Cr(VI)) as Potassium dichromate); Skin corrosion/irritation - Category 2: H315 Causes skin irritation. (classification is based on available data for all water-soluble Hexavalent chromium (Cr(VI)) as Potassium dichromate); Serious Eye Damage/Eye Irritation - Category 2: H319 Causes serious eye irritation. (classification is based on available data for all water-soluble Hexavalent chromium (Cr(VI)) as Potassium dichromate); Respiratory sensitizers - Category 1: H334 May cause allergic or asthmatic symptoms or breathing difficulties if inhaled. (classification is based on available data for all water-soluble Hexavalent chromium (Cr(VI)) as Potassium dichromate); Skin sensitizers - Category 1A: H317 May cause allergic skin reaction. (classification is based on available data for all water-soluble Hexavalent chromium (Cr(VI)) as Potassium dichromate); Germ cell mutagenicity - Category 2: H341 Suspected of causing genetic defects. (classification is based on available data for all water-soluble Hexavalent chromium (Cr(VI)) as Potassium dichromate); Carcinogenicity - Category 1A: H350 May cause cancer. (classification is based on available data for all water-soluble Hexavalent chromium (Cr(VI)) as Potassium dichromate); Reproductive Toxicity - Category 1: H360 May damage fertility or the unborn child. (classification is based on available data for all water-soluble Hexavalent chromium (Cr(VI)) as Potassium dichromate); Reproductive Toxicity - Category 1B: H360 May damage fertility or the unborn child. (classification is based on available data for all water-soluble Hexavalent

Product name: SODIUM 12 / 15

chromium (Cr(VI)) as Potassium dichromate); Reproductive Toxicity - Category 2: H361 Suspected of damaging fertility or the unborn child. (classification is based on available data for all water-soluble Hexavalent chromium (Cr(VI)) as Potassium dichromate); Specific target organ toxicity - Single exposure -Category 3: H335 May cause respiratory irritation. (classification is based on available data for all water-soluble Hexavalent chromium (Cr(VI)) as Potassium dichromate); Specific target organ toxicity - Repeated exposure - Category 2: H373 May cause damage to organs through prolonged or repeated exposure. (classification is based on available data for all water-soluble Hexavalent chromium (Cr(VI)) as Potassium dichromate)

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

### WHMIS 1988 Hazard Class

D1A Very toxic materials D2A Very toxic materials D2B Toxic materials

Components

Sodium Chromate Tetrahydrate

**WHMIS 1988** 

For Sodium Chromate, anhydrous (CAS no. 7775-11-3):

D1A, D2A, D2B

#### **Canada Controlled Products Regulation:**

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

### Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)
Sodium Chromate Tetrahydrate	10034-82-9	Not Listed	Not Listed

Components	CAS-No.	CEPA Schedule I - Toxic Substances
Sodium Chromate Tetrahydrate	10034-82-9	Present
Components		CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Sodium Chromate Tetrahydrate	10034-82-9	Not listed

### **EU Classification**

#### EU GHS - SV - CLP 1272/2008

Components	CAS-No.	EU GHS - SV - CLP (1272/2008)
Sodium Chromate Tetrahydrate	10034-82-9	For Chromium VI compounds:
		Skin sensitizers - Skin Sens. 1: H317
		May cause allergic skin reaction.
		(except Barium chromate and those
		specified elsewhere in this Annex);
		Carcinogenicity - Inhalation - Carc. 1B:
		H350 May cause cancer by inhalation.
		(except Barium chromate and
		compounds specified elsewhere in this
		Annex); Hazardous to aquatic
		environment - acute hazard - Aquatic
		Acute 1: H400 Very toxic to aquatic
		life. (except Barium chromate and
		compounds specified elsewhere in this
		Annex); Hazardous to aquatic
		environment - chronic hazard - Aquatic
		Chronic 1: H410 Very toxic to aquatic
		life with long lasting effects. (except
		Barium chromate and compounds

Product code: S1246 Product name: SODIUM 13 / 15

	specified elsewhere in this
	Annex)024-017-00-8

### EU - CLP (1272/2008)

### R-phrase(s)

R42 - May cause sensitization by inhalation.

R43 - May cause sensitization by skin contact.

R45 - May cause cancer.

R49 - May cause cancer by inhalation.

R50 - Very toxic to aquatic organisms.

R53 - May cause long-term adverse effects in the aquatic environment.

R60 - May impair fertility.

R61 - May cause harm to the unborn child.

R46 - May cause heritable genetic damage.

R48 - Danger of serious damage to health by prolonged exposure.

### S -phrase(s)

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S53 - Avoid exposure - obtain special instructions before use.

S60 - This material and its container must be disposed of as hazardous waste.

S61 - Avoid release to the environment. Refer to special instructions/safety data sheets.

S 1/2 - Keep locked up and out of the reach of children.

S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
Sodium Chromate Tetrahydrate	10034-82-9	For Chromium VI compounds: R43 Carc.Cat.2; R49 N; R50-53 For Sodium Chromate, anhydrous (CAS number 7775-11-3: Xn; R21 T; R25-48/23 T+; R26 C; R34 R42/43 Carc.Cat.2; R45 Muta.Cat.2; R46 N; R50-53 Repr.Cat.2; R60-61	No information	For Chromium VI compounds: S: 53-45-60-61

The product is classified in accordance with Annex VI to Directive 67/548/EEC

### Indication of danger:

T+ - Very toxic.

N - Dangerous for the environment.

T+





# **16. OTHER INFORMATION**

Product code: S1246 Product name: SODIUM 14/15

**Preparation Date:** 8/5/2015 **Revision Date:** 2/2/2018 Prepared by: Sonia Owen

Disclaimer: All chemicals may pose unknown hazards and should be used with caution. This

> Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the

completeness or accuracy of the information contained herein.

**End of Safety Data Sheet** 

Product code: S1246

Product name: SODIUM