

SAFETY DATA SHEET

Preparation Date: 5/21/2014

Revision Date: 5/21/2014

Revision Number: G1

1. IDENTIFICATION

Product identifier

Product code: SIL58
Product Name: SILICA GEL, DAVISIL (TM), GRADE 60, 230-400 MESH

Other means of identification

Synonyms: Silica - Amorphous, Gel; Amorphous Silicon Dioxide; Silica Gel, precipitated; Precipitated Silica; amorphous silica gel; amorphous silica, precipitated; Synthetic amorphous silica, not to be confused with crystalline silica such as quartz, cristobalite, or tridymite or with diatomaceous earth or other naturally occurring forms of amorphous silica that frequently contain crystalline forms

CAS #: 112926-00-8
RTECS # VV7315000
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: No information available.
Uses advised against No information available

Supplier: Spectrum Chemicals and Laboratory Products, Inc.
14422 South San Pedro St.
Gardena, CA 90248
(310) 516-8000

Order Online At: <https://www.spectrumchemical.com>

Emergency telephone number Chemtrec 1-800-424-9300
Contact Person: Martin LaBenz (West Coast)
Contact Person: Regina Wachenheim (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label elements

Not classified

Hazards not otherwise classified (HNOC)

Product code: SIL58

Product name: SILICA GEL, DAVISIL
(TM), GRADE 60, 230-400 MESH

1 / 11

Not Applicable

Other hazards

Not available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %	Trade Secret
Silica Gel Grade 60, 230-400 mesh 112926-00-8	112926-00-8	100	*

4. FIRST AID MEASURES

First aid measures

General Advice:

Poison information centres in each State capital city can provide additional assistance for scheduled poisons (13 1126)

Skin Contact:

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Get medical attention if irritation develops.

Eye Contact:

Flush eye with water for 15 minutes. Get medical attention if irritation occurs. If symptoms persist, call a physician.

Inhalation:

Move to fresh air. If breathing is difficult, give oxygen. In case of shortness of breath, give oxygen. Obtain medical attention.

Ingestion:

Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms

May cause eye/skin irritation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician:

Treat symptomatically

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media:

The product is not flammable. If it is involved in a fire, extinguish the fire using an agent suitable for the type of surrounding fire.

Unsuitable Extinguishing Media:

No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products:

No information available.

Specific hazards:

No information available..

Special Protective Actions for Firefighters

Specific Methods: No information available.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal protective equipment.

Environmental precautions No information available.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Cover with plastic sheet to prevent spreading.

Methods for cleaning up Sweep up and shovel into suitable containers for disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Keep away from incompatible materials.

Safe Handling Advice:

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe vapours/dust. Keep away from heat and sources of ignition. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Hygroscopic. Protect from moisture. Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials.

Incompatible Materials:

Strong acids. Hydrogen fluoride. Chlorine trifluoride. Oxygen difluoride.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	OSHA	NIOSH	ACGIH	AIHA WHEEL
Silica Gel Grade 60, 230-400 mesh - 112926-00-8	20mppcfTWA (80)/(% SiO ₂) mg/m ³ TWA	None	None	None

Canada

Components	Alberta	British Columbia	Ontario	Quebec
------------	---------	------------------	---------	--------

Silica Gel Grade 60, 230-400 mesh - 112926-00-8	None	4 mg/m ³ TWA total 1.5 mg/m ³ TWA respirable	10 mg/m ³ TWA	6 mg/m ³ TWAEV respirable dust
--	------	---	--------------------------	--

Australia and Mexico

Components	Australia	Mexico
Silica Gel Grade 60, 230-400 mesh 112926-00-8	10 mg/m ³ TWA	10 mg/m ³ TWA

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Safety glasses. Safety glasses with side-shields.

Skin and body protection: Long sleeved clothing. Chemical resistant apron. Gloves.

Respiratory protection: Wear respirator with dust filter..

Hygiene measures: Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Solid.	Appearance: Powder.	Color: White.
Odor: Odorless.	Taste Tasteless.	Molecular/Formula weight: No information available
Flash point (°C): Not applicable	Flashpoint (°C/°F): Not applicable	Flash Point Tested according to: Not applicable
Lower Explosion Limit (%): No information available	Upper Explosion Limit (%): No information available	Autoignition Temperature (°C/°F): No information available
pH: No information available	Melting point/range(°C/°F): 1710 °C/3110 °F	Boiling point/range(°C/°F): 2230 °C/4046 °F
Decomposition temperature(°C/°F): No information available	Specific gravity: 2.1-2.2	Density (g/cm3): No information available
Bulk density: No information available	Vapor pressure @ 20°C (kPa): No information available	Evaporation rate: No information available
Vapor density: No information available	VOC content (g/L): No information available	Odor threshold (ppm): No information available
Partition coefficient (n-octanol/water): No information available	Viscosity: No information available	Miscibility: No information available
Solubility: Insoluble in water Insoluble in Ethanol Insoluble in acids except hydrofluoric acid		

10. STABILITY AND REACTIVITY

Reactivity

Hygroscopic. It absorbs moisture from the air
Reactive with strong acids
Vinyl acetate vapor may react vigorously in contact with Silica gel

Chemical stability

Stability: Stable at normal conditions

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Incompatible materials. Exposure to moist air. Exposure to moisture.

Incompatible Materials: Strong acids. Hydrogen fluoride. Chlorine trifluoride. Oxygen difluoride.

Hazardous decomposition products: No information available.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Ingestion. Inhalation.

Acute Toxicity

Component Information

Silica Gel Grade 60, 230-400 mesh - 112926-00-8

LD50/oral/rat = No information available

LD50/oral/mouse = No information available

LD50/dermal/rabbit = No information available

LD50/dermal/rat = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No information available

Other LD50 or LC50 information = No information available

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = No information available

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available

VALUE-Gas = No information available

VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available

VALUE - Gas = No information available

VALUE - Dust/Mist = No information available

Symptoms

Skin Contact:

May cause skin irritation. May cause dryness of the skin in cases of severe exposure.

Eye Contact:

May cause eye irritation. May cause irritation of the eye by mechanical action.

Inhalation

May cause irritation of respiratory tract. May cause dryness and irritation to mucous membranes and respiratory tract in cases of severe exposure.

Ingestion

Health injuries are not known or expected under normal use. Not expected to be a health hazard.

Aspiration hazard

No information available

Product code: SIL58

Product name: SILICA GEL, DAVISIL
(TM), GRADE 60, 230-400 MESH

6 / 11

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Sensitization: Repeated or prolonged skin contact may cause dryness and cracking of the skin.
No information available

Mutagenic Effects: No information available

Carcinogenic effects: Not classifiable as to its carcinogenicity to humans.

Components	ACGIH - Carcinogens	IARC	NTP	OSHA HCS - Carcinogens	Australia - Prohibited Carcinogenic Substances	Australia - Notifiable Carcinogenic Substances
Silica Gel Grade 60, 230-400 mesh	Not listed	Monograph 68 [1997] Amorphous silica	Not listed	Not listed	Not listed	Not listed

*IARC (International Agency for Research on Cancer)
Group 3 - Not classifiable as to its carcinogenicity to humans*

Reproductive toxicity No data is available

Reproductive Effects: No information available
Developmental Effects: No information available
Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure No information available
STOT - repeated exposure No information available
Target Organs: Lungs. Respiratory system.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: No data available.

Persistence and degradability: No information available

Bioaccumulative potential: No information available

Mobility: No information available

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:
Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:
Empty containers should be taken for local recycling, recovery or waste disposal

Components	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Silica Gel Grade 60, 230-400 mesh	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: Not regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: Not applicable
Packing Group: None
Marine Pollutant: No data available
ERG No: No information available
DOT RQ (lbs): No information available

TDG (Canada)

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available

ADR

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Packing Group: No information available
Subsidiary Risk: No information available
Classification Code: No information available
Description: No information available
CEFIC Tremcard No: No information available

IMO / IMDG

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available
IMDG Page: No information available
Marine Pollutant: No information available
MFAG: No information available
Maximum Quantity: No information available

RID

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Classification Code: No information available
Description: No information available

14. TRANSPORT INFORMATION

ICAO

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available

IATA

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available

15. REGULATORY INFORMATION

International Inventories

Components	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
<i>Silica Gel Grade 60, 230-400 mesh</i>	Not Listed	Present KE-32733	Present	Present (1)-548	Present	Present	Not present

U.S. Regulations

Silica Gel Grade 60, 230-400 mesh

Massachusetts RTK: Present
New Jersey RTK Hazardous Substance List: Present
Pennsylvania RTK: Present
Minnesota - Hazardous Substance List: Present

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
<i>Silica Gel Grade 60, 230-400 mesh</i>	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting <i>de minimis</i>
<i>Silica Gel Grade 60, 230-400 mesh</i>	None	None	None	None	None

U.S. TSCA

Components	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
<i>Silica Gel Grade 60, 230-400 mesh</i>	Not Applicable	Not Applicable

Canada

WHMIS hazard class:

Non-controlled

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Inventory

Components	Canada (DSL)	Canada (NDSL)
Silica Gel Grade 60, 230-400 mesh	Present	Not Listed

Components	CEPA Schedule I - Toxic Substances	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Silica Gel Grade 60, 230-400 mesh	Not listed	Not listed

EU Classification

R-phrase(s)

none

S -phrase(s)

none

Components	Classification	Concentration Limits:	Safety Phrases
Silica Gel Grade 60, 230-400 mesh		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

Not dangerous

16. OTHER INFORMATION

16. OTHER INFORMATION

NFPA	HMIS	Personal Protective Equipment
------	------	-------------------------------



Health Hazard	1
Fire Hazard	0
Reactivity	0



See Section 8.

Preparation Date: 5/21/2014
Revision Date: 5/21/2014
Prepared by: Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Material Safety Data Sheet