



# TCI AMERICA

## SAFETY DATA SHEET

Revision number: 1.1  
Revision date: 07/06/2018

### 1. IDENTIFICATION

**Product name:** Ethylenediamine Anhydrous  
**Product code:** E0077

**Product use:** For laboratory research purposes.  
**Restrictions on use:** Not for drug or household use.

Company:  
TCI America  
9211 N. Harborgate Street  
Portland, OR 97203 U.S.A.  
Telephone:  
+1-800-423-8616 / +1-503-283-1681  
Fax:  
+1-888-520-1075 / +1-503-283-1987  
e-mail:  
sales-US@TCIchemicals.com  
www.TCIchemicals.com

**Emergency telephone number:**  
Chemical Emergencies:  
TCI America (8:00am - 5:00pm) PST  
+1-503-286-7624  
Transportation Emergencies:  
Chemtrec 24-Hour  
+1-800-424-9300 (U.S.A.)  
+1-703-527-3887 (International)  
**Responsible department:**  
TCI America  
Environmental Health Safety and Security  
+1- 503-286-7624

### 2. HAZARD(S) IDENTIFICATION

**OSHA Haz Com: CFR 1910.1200:** Acute Toxicity - Oral [Category 4]  
**WHMIS 2015:** Acute Toxicity - Dermal [Category 3]  
Eye Damage/Irritation [Category 1]  
Sensitization - Respiratory [Category 1]  
Sensitization - Skin [Category 1]  
Specific Target Organ Toxicity (Single Exposure) [Category 1]  
Specific Target Organ Toxicity (Repeated Exposure) [Category 2]  
Flammable Liquids [Category 3]  
Aquatic Hazard (Acute) [Category 2]  
Skin Corrosion/Irritation [Category 1B]

**Signal word:** Danger!

**Hazard Statement(s):** Flammable liquid and vapor  
Harmful if swallowed  
Toxic in contact with skin  
Causes severe skin burns and eye damage  
May cause allergy or asthma symptoms or breathing difficulties if inhaled  
May cause an allergic skin reaction  
Toxic to aquatic life  
Causes damage to: Blood System Respiratory System Kidney  
May cause damage to organs through prolonged or repeated exposure: Liver Visual System Kidney

**Pictogram(s) or Symbol(s):**



**Precautionary Statement(s):**  
[Prevention]

Keep away from heat, sparks, open flames and hot surfaces. – No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist, vapors or spray. Avoid release to the environment. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wash hands and face thoroughly after handling. Wear respiratory protection. Wear protective gloves, protective clothing, face protection.

[Response]

If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a poison center or doctor. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

[Storage]  
[Disposal]

and easy to do. Continue rinsing. Immediately call a poison center or doctor. If exposed: Call a poison center or doctor.

Store in a well-ventilated place. Keep cool. Store locked up.

Dispose of contents and container in accordance with local, regional, national regulations (e.g. US: 40 CFR Part 261, EU:91/156/EEC, JP: Waste Disposal and Cleaning Act, etc.).

Hazards not otherwise classified:  
[HNOC]

None.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

<b>Substance/mixture:</b>	Substance
<b>Components:</b>	Ethylenediamine Anhydrous
<b>Percent:</b>	>98.0%(GC)(T)
<b>CAS RN:</b>	107-15-3
<b>Molecular Weight:</b>	60.10
<b>Chemical Formula:</b>	C <sub>2</sub> H <sub>8</sub> N <sub>2</sub>

### 4. FIRST-AID MEASURES

#### Description of first aid measures

<b>Inhalation:</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
<b>Skin contact:</b>	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor/physician.
<b>Eye contact:</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
<b>Ingestion:</b>	Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

#### Symptoms/effects:

<b>Acute:</b>	Pain. Redness.
<b>Delayed:</b>	May cause skin sensitization.

#### Indication of any immediate medical attention:

Not available.

#### Notes to physician:

No data available

### 5. FIRE-FIGHTING MEASURES

<b>Suitable extinguishing media:</b>	Dry chemical, foam, water in large amounts, carbon dioxide.
<b>Specific hazards arising from the chemical:</b>	Take care as it may decompose upon combustion or in high temperatures to generate poisonous fume.
<b>Hazardous combustion products:</b>	These products include: Carbon oxides Nitrogen oxides
<b>Other specific hazards:</b>	Closed containers may explode from heat of a fire.
<b>Advice for firefighters:</b>	Wear self-contained breathing apparatus if possible.

### 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions, protective equipment and emergency procedures:</b>	Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc.
<b>Environmental precautions:</b>	Prevent product from entering drains.
<b>Methods and materials for containment and cleaning up:</b>	Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
<b>Prevention of secondary hazards:</b>	Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.

**7. HANDLING AND STORAGE**

<b>Precautions for safe handling:</b>	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfaces. -No smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.
<b>Conditions for safe storage, including any incompatibilities</b>	
<b>Storage conditions:</b>	Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert gas. Protect from moisture. Store locked up. Store away from incompatible materials such as oxidizing agents.
<b>Packaging material:</b>	Hygroscopic Air-sensitive Comply with laws.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

<b>Exposure limits:</b>	
<b>ACGIH TLV(TWA):</b>	10 ppm (skin)
<b>OSHA PEL(TWA):</b>	10 ppm
<b>JSOH OELs(TWA):</b>	10 ppm (skin)
<b>Appropriate engineering controls:</b>	Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed system or local exhaust. Also install safety shower and eye bath.
<b>Personal protective equipment</b>	
<b>Respiratory protection:</b>	Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations.
<b>Hand protection:</b>	Impervious gloves.
<b>Eye protection:</b>	Safety goggles. A face-shield, if the situation requires.
<b>Skin and body protection:</b>	Impervious protective clothing. Protective boots, if the situation requires.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical state (20°C):</b>	Liquid		
<b>Form:</b>	Clear		
<b>Colour:</b>	Colorless - Almost colorless		
<b>Odour:</b>	Ammoniacal		
<b>Odor threshold:</b>	No data available		
<b>Odour threshold:</b>	No data available		
<b>Melting point/freezing point:</b>	10°C (Freezing point) (50°F)	<b>pH:</b>	No data available
<b>Boiling point/range:</b>	116°C (241°F)	<b>Vapour pressure:</b>	No data available.
<b>Decomposition temperature:</b>	No data available	<b>Vapour density:</b>	2.1
<b>Relative density:</b>	0.90	<b>Dynamic Viscosity:</b>	No data available
<b>Kinematic viscosity:</b>	No data available		
<b>Log Pow:</b>	No data available	<b>Evaporation rate(Butyl Acetate=1):</b>	No data available
<b>Flash point:</b>	34°C (93°F)	<b>Autoignition temperature:</b>	385°C (725°F)
<b>Flammability(solid, gas):</b>	No data available	<b>Flammability or explosive limits:</b>	
		<b>Lower:</b>	2.5%
		<b>Upper:</b>	16.6%
<b>Solubility(ies):</b>			
<b>[Water]</b>	Miscible		
<b>[Other solvents]</b>			
<b>Soluble:</b>	Alcohols		
<b>Slightly soluble:</b>	Ether		
<b>Very slightly soluble:</b>	Heptane		

**10. STABILITY AND REACTIVITY**

<b>Reactivity:</b>	No data available
<b>Chemical stability:</b>	Stable under proper conditions.
<b>Possibility of hazardous reactions:</b>	No special reactivity has been reported.
<b>Conditions to avoid:</b>	Spark, Open flame, Static discharge
<b>Incompatible materials:</b>	Oxidizing agents, Acids, Metals, Halogens
<b>Hazardous decomposition products:</b>	Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx)

**11. TOXICOLOGICAL INFORMATION****RTECS Number:** KH8575000**Acute Toxicity:**ihl-hmn TClO:200 ppm  
orl-rat LD50:1200 mg/kgihl-rat LClO:4000 ppm/8H  
skn-rbt LD50:730 uL/kg**Skin corrosion/irritation:**

skn-rbt 450 mg open MOD

**Serious eye damage/irritation:**

eye-rbt 750 ug SEV

**Respiratory or skin sensitization:**

No data available

**Germ cell mutagenicity:**

mmo-sat 33 ug/plate (+S9)

**Carcinogenicity:**

No data available

**IARC:** No data available**NTP:** No data available**OSHA:** No data available**Reproductive toxicity:**

orl-mus TDLo:3200 mg/kg (6-13D preg)

**Target organ(s):**

Causes damage to: Blood System Respiratory System Kidney

May cause damage to organs through prolonged or repeated exposure: Liver Visual System Kidney

**12. ECOLOGICAL INFORMATION****Ecotoxicity:****Fish:** No data available**Crustacea:** No data available**Algae:** No data available**Persistence / degradability:**39% (NO<sub>2</sub>) , 94% (NH<sub>3</sub>) (by BOD) , 100% (by HPLC) , 96% (by TOC)**Bioaccumulative potential(BCF):**

&lt;1

**Mobility in soil****Log Pow:** -1.2**Soil adsorption (Koc):** 4766**Henry's Law (PaM<sup>3</sup>/mol):** 1.8 x 10<sup>-4</sup>**13. DISPOSAL CONSIDERATIONS****Disposal of product:**

Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil.

**Disposal of container:**

Dispose of as unused product. Do not re-use empty containers.

**Other considerations:**

Observe all federal, state and local regulations when disposing of the substance.

**14. TRANSPORT INFORMATION****DOT (US)**

<b>UN number:</b> UN1604	<b>Proper Shipping Name:</b> Ethylenediamine	<b>Class or Division:</b> 8 Corrosive material	<b>Subrisk(s):</b> 3 Flammable liquid	<b>Packing Group:</b> II
-----------------------------	---	---	--	-----------------------------

**IATA**

<b>UN number:</b> UN1604	<b>Proper Shipping Name:</b> Ethylenediamine	<b>Class or Division:</b> 8 Corrosive material	<b>Subrisk(s):</b> 3 Flammable liquid	<b>Packing Group:</b> II
-----------------------------	---	---	--	-----------------------------

**IMDG**

<b>UN number:</b> UN1604	<b>Proper Shipping Name:</b> Ethylenediamine	<b>Class or Division:</b> 8 Corrosive material	<b>Subrisk(s):</b> 3 Flammable liquid	<b>Packing Group:</b> II
-----------------------------	---	---	--	-----------------------------

**EmS number:** F-E, S-C  
**Reportable Quantity:** 5000 Pounds (2270 Kilograms)

**15. REGULATORY INFORMATION****Toxic Substance Control Act (TSCA 8b.):**

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

**US Federal Regulations****CERCLA Hazardous substance and Reportable Quantity:**

**SARA 313:** Not Listed

**SARA 302:** Listed

**State Regulations****State Right-to-Know**

**Massachusetts:** Listed

**New Jersey:** Listed

**Pennsylvania:** Listed

**California Proposition 65:** Not Listed

**Other Information****NFPA Rating:**

**Health:** 3

**Flammability:** 3

**Instability:** 1

**HMIS Classification:**

**Health:** 3

**Flammability:** 3

**Physical:** 1

**International Inventories**

**Canada: DSL:** On DSL

**EC-No:** 203-468-6

**16. OTHER INFORMATION**

**Revision date:** 07/06/2018

**Revision number:** 1.1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.