

SAFETY DATA SHEET

Preparation Date: 12/29/2014

Revision Date: Not Applicable

Revision Number: Not Applicable

Product identifier

Product code: X3036
Product Name: p-Xylene-2-sulfonic Acid, Hydrate

Other means of identification

Synonyms: 2,5-Dimethylbenzenesulfonic Acid Hydrate
CAS #: 609-54-1
RTECS # Not available
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: No information available.
Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp
14422 South San Pedro St.
Gardena, CA 90248
(310) 516-8000

Order Online At: <https://www.spectrumchemical.com>

Emergency telephone number Chemtrec 1-800-424-9300
Contact Person: Martin LaBenz (West Coast)
Contact Person: Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A

Label elements

Warning**Hazard statements**

Causes skin irritation

Causes serious eye irritation

**Hazards not otherwise classified (HNOC)**

Not Applicable

Other hazards

Not available

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %	Trade Secret
p-Xylene-2-sulfonic Acid, Hydrate 609-54-1	609-54-1	100	*

4. FIRST AID MEASURES**First aid measures****General Advice:**

Poison information centers in each State capital city can provide additional assistance for scheduled poisons (13 1126)

Skin Contact:

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Get medical attention. If skin irritation persists, call a physician.

Eye Contact:

Flush eye with water for 15 minutes. Get medical attention.

Inhalation:

Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion:

Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Obtain medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms

Causes eye irritation. Eye contact may result in redness or pain. Causes skin irritation. Skin contact may result in redness, pain, inflammation, itching, scaling.

Indication of any immediate medical attention and special treatment needed

Notes to Physician:

Treat symptomatically

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media:

Carbon dioxide (CO₂). Dry chemical. Water spray mist or foam.

Unsuitable Extinguishing Media:

No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products:

Carbon oxides, Sulfur oxides

Specific hazards:

May be combustible at high temperatures
Fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Special Protective Actions for Firefighters

Specific Methods:

Water mist may be used to cool closed containers. For larger fires, use water spray or fog. Cool containers with flooding quantities of water until well after fire is out. Dike fire-control water for later disposal; do not scatter the material.

Special Protective Equipment for Firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid dust formation. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Remove all sources of ignition.

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Cover with plastic sheet to prevent spreading.

Methods for cleaning up Sweep up and shovel into suitable containers for disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Avoid dust formation. Keep away from incompatible materials.

Safe Handling Advice:

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Avoid dust formation. Do not ingest. Do not breathe vapours/dust. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials. Hygroscopic. Store under inert gas.

Incompatible Materials:

Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	OSHA	NIOSH	ACGIH	AIHA WHEEL
p-Xylene-2-sulfonic Acid, Hydrate - 609-54-1	None	None	None	None

Canada

Components	Alberta	British Columbia	Ontario	Quebec
p-Xylene-2-sulfonic Acid, Hydrate - 609-54-1	None	None	None	None

Australia and Mexico

Components	Australia	Mexico
p-Xylene-2-sulfonic Acid, Hydrate 609-54-1	None	None

Appropriate engineering controls

Engineering measures to reduce exposure: Ensure adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Safety glasses. Safety glasses with side-shields.

Skin and body protection: Long sleeved clothing. Chemical resistant apron. Gloves.

Respiratory protection: Effective dust mask. Wear respirator with dust filter..

Hygiene measures: Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Solid.	Appearance: Crystals. Powder.	Color: White. Pale Red.
Odor: No information available	Taste No information available	Molecular/Formula weight: 186.23
Formula: C8H10O3S·xH2O	Flammability: No information available	Flash point (°C): No data available
Flashpoint (°C/°F): No information available.	Flash Point Tested according to: Not available	Lower Explosion Limit (%): No information available
Upper Explosion Limit (%): No information available	Autoignition Temperature (°C/°F): No information available	pH: No information available
Melting point/range(°C/°F): 84.0°-88.0°C/183.2°-190.4°F	Boiling point/range(°C/°F): No information available	Decomposition temperature(°C/°F): No information available
Bulk density: No information available	Specific gravity: No information available	Vapor pressure @ 20°C (kPa): No information available
Density (g/cm3): No information available	Evaporation rate: No information available	Vapor density: No information available
VOC content (g/L): No information available	Odor threshold (ppm): No information available	Partition coefficient (n-octanol/water): No information available
Viscosity: No information available	Miscibility: No information available	Solubility: Soluble in Water

10. STABILITY AND REACTIVITY

Reactivity

Reactive with oxidizing agents

Chemical stability

Stability: Stable under recommended storage conditions

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Ignition sources. Incompatible materials. Avoid dust formation. Dust may form explosive mixture in air. Fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Incompatible Materials: Oxidizing agents.

Hazardous decomposition products: Carbon oxides. Sulfur oxides.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Eyes. Ingestion. Inhalation. Skin.

Acute Toxicity

Component Information

p-Xylene-2-sulfonic Acid, Hydrate - 609-54-1

LD50/oral/rat = No information available

LD50/oral/mouse = No information available

LD50/dermal/rat = No information available

LD50/dermal/rabbit = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No information available

Other LD50 or LC50 information = No information available

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = No information available

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat

Product code: X3036

Product name: p-Xylene-2-sulfonic
Acid, Hydrate

6 / 11

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available

VALUE-Gas = No information available

VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available

VALUE - Gas = No information available

VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: Causes skin irritation.

Eye Contact: Causes serious eye irritation.

Inhalation May cause irritation of respiratory tract.
Ingestion Health injuries are not known or expected under normal use.

Aspiration hazard No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity No information available

Sensitization: No information available

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic

Components	ACGIH - Carcinogens	IARC	NTP	OSHA HCS - Carcinogens	Australia - Prohibited Carcinogenic Substances	Australia - Notifiable Carcinogenic Substances
p-Xylene-2-sulfonic Acid, Hydrate	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

Reproductive toxicity No data is available

Reproductive Effects: No information available

Developmental Effects: No information available

Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure No information available

STOT - repeated exposure No information available

Target Organs: No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

12. ECOLOGICAL INFORMATION

Ecotoxicity effects: No data available.

Persistence and degradability: No information available

Bioaccumulative potential: No information available

Mobility: No information available

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
p-Xylene-2-sulfonic Acid, Hydrate	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: UN2585
Proper Shipping Name: Alkyl sulfonic acids, solid
Hazard Class: 8
Subsidiary Risk:
Packing Group: III
ERG No: 153
Marine Pollutant: No data available
DOT RQ (lbs): No information available

Symbol(s):

TDG (Canada)

UN-No: UN2585
Proper Shipping Name: Alkylsulfonic acids, solid
Hazard Class: 8
Subsidiary Risk: No information available
Packing Group: III
Description: No information available

ADR

UN-No: UN2585
Proper Shipping Name: Alkylsulphonic acids, solid
Hazard Class: 8
Packing Group: III
Subsidiary Risk: No information available
Classification Code: No information available
Description: No information available

14. TRANSPORT INFORMATION

CEFIC Tremcard No: No information available

IMO / IMDG

UN-No: UN2585
Proper Shipping Name: Alkylsulphonic acids, solid
Hazard Class: 8
Subsidiary Risk: No information available
Packing Group: III
Description: No information available
IMDG Page: No information available
Marine Pollutant: No information available
EMS: F-A
MFAG: No information available
Maximum Quantity: No information available

RID

UN-No: UN2585
Proper Shipping Name: Alkylsulphonic acids, solid
Hazard Class: 8
Subsidiary Risk: No information available
Packing Group: III
Classification Code: No information available
Description: No information available

ICAO

UN-No: UN2585
Proper Shipping Name: Arylsulphonic acids, solid
Hazard Class: 8
Subsidiary Risk: No information available
Packing Group: III
Description: No information available

IATA

UN-No: UN2585
Proper Shipping Name: Arylsulphonic acids, solid
Hazard Class: 8
Subsidiary Risk: No information available
Packing Group: III
ERG Code: 8L
Description: No information available

15. REGULATORY INFORMATION

International Inventories

Components	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
<i>p-Xylene-2-sulfonic Acid, Hydrate</i>	Present	Not present	Present	Present (9)-2093	Present	Not present	Present 210-193-5

U.S. Regulations

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Product code: X3036

Product name: p-Xylene-2-sulfonic Acid, Hydrate

9 / 11

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
p-Xylene-2-sulfonic Acid, Hydrate	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting <i>de minimis</i>
p-Xylene-2-sulfonic Acid, Hydrate	None	None	None	None	None

U.S. TSCA

Components	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
p-Xylene-2-sulfonic Acid, Hydrate	Not Applicable	Not Applicable

Canada**WHMIS hazard class:**

D2B Toxic materials

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Inventory

Components	Canada (DSL)	Canada (NDSL)
p-Xylene-2-sulfonic Acid, Hydrate	Not Listed	Present

Components	CEPA Schedule I - Toxic Substances	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
p-Xylene-2-sulfonic Acid, Hydrate	Not listed	Not listed

EU Classification**R-phrase(s)**

not determined (not applicable)

S -phrase(s)

none

Components	Classification	Concentration Limits:	Safety Phrases
p-Xylene-2-sulfonic Acid, Hydrate		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

None.

16. OTHER INFORMATION

Preparation Date: 12/29/2014
Revision Date: Not Applicable
Prepared by: Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet