



SAFETY DATA SHEET

Preparation Date: 6/22/2017 Revision Date: 6/22/2017 Revision Number: G1

1. IDENTIFICATION Product identifier C1608 Product code: **Product Name:** CONDUCTIVITY CALIBRATION STANDARD, 12,880 uS, SOLUTION Other means of identification No information available Synonyms: CAS #: Mixture RTECS# Not available CI#: Not available Recommended use of the chemical and restrictions on use Recommended use: No information available. Uses advised against No information available Supplier: Spectrum Chemical Mfg. Corp 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000. https://www.spectrumchemical.com **Order Online At:** Chemtrec 1-800-424-9300 Emergency telephone number **Contact Person:** Martin LaBenz (West Coast) Ibad Tirmiz (East Coast) **Contact Person:** 2. HAZARDS IDENTIFICATION Classification This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) Not a dangerous substance or mixture according to the Globally Harmonized System (GHS) Label elements Not classified

Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards Not available

 1/11

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Water	7732-18-5	99.26
Potassium Chloride	7447-40-7	0.74

4. FIRST AID MEASURES

First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you

have a poison emergency and need to talk to a poison specialist. Call

1-800-222-1222.

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothing and

shoes. Get medical attention if irritation develops. Consult a physician if necessary.

Eye Contact: Flush eyes with water for 15 minutes. Get medical attention if irritation occurs. If symptoms

persist, call a physician.

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get medical attention.

Ingestion: Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms Health injuries are not known or expected under normal use.

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: The product is not flammable. If it is involved in a fire,

extinguish the fire using an agent suitable for the type of

surrounding fire.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products:No information available.

Specific hazards:No information available.

Special Protective Actions for Firefighters

Specific Methods: No information available.

Product code: C1608 Product name: CONDUCTIVITY

CALIBRATION STANDARD, 12,880

Special Protective Equipment for Firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin,

eyes and clothing.

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Absorb spill with inert material (e.g.

vermiculite, dry sand or earth).

Methods for cleaning up Absorb spill with inert material (e.g. vermiculite, dry sand or earth). Use

appropriate tools to put the spilled material in a suitable chemical waste disposal

container.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe vapors or spray mist. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed. Keep in a well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials.

Incompatible Materials:

Strong oxidizing agents
Bromine trifluoride
Potassium permanganate
Strong acids
Sulfuric acid

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WHEEL
Water	7732-18-5	None	None	None	None
Potassium Chloride	7447-40-7	None	None	None	None

Canada

Product code: C1608 Product name: CONDUCTIVITY 3 / 11
CALIBRATION STANDARD, 12,880

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Water	7732-18-5	None	None	None	None
Potassium Chloride	7447-40-7	None	None	None	None

Australia and Mexico

Components	CAS-No.	Australia	Mexico
Water	7732-18-5	None	None
Potassium Chloride	7447-40-7	None	None

Appropriate engineering controls

Engineering measures to reduce exposure: Ensure adequate ventilation. Provide exhaust ventilation or

other engineering controls to keep the airborne

concentrations of vapors and mist below their respective

threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Goggles

Skin and body protection: Chemical resistant apron

Gloves

Long sleeved clothing

Respiratory protection: Respiratory protection is not necessary for normal handling. Good room

ventilation or use of local exhaust (fume hood) is sufficient. Use a vapor respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapor, inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to

use an approved/certified respirator or equivalent.

Hygiene measures: Avoid contact with skin, eyes and clothing. Wash hands before breaks and

immediately after handling the product. When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:Appearance:Color:LiquidClear.Colorless.

Odor: Taste Formula:

Odorless. No information available. No information available

Molecular/Formula weight:Flammability:Flashpoint (°C/°F):No information availableNo information availableNo information available.

Flash Point Tested according to:

Not available No information available

Autoignition Temperature (°C/°F): Lower Explosion Limit (%): No information available

No information available

Upper Explosion Limit (%): Melting point/range(°C/°F): Decomposition temperature(°C/°F):

No information available
No information available
No information available

Boiling point/range(°C/°F): Bulk density:

Product code: C1608 Product name: CONDUCTIVITY

CALIBRATION STANDARD, 12,880

uS, SOLUTION

4/11

The lowest known value is

100°C/212°F (water)

No information available

Density (g/cm3):

No information available

Specific gravity:

approximately 1.01

No information available

Vapor pressure @ 20°C (kPa):

No information available

Evaporation rate:

No information available

Vapor density:

:Ha

No information available

No information available

VOC content (g/L): No information available

Odor threshold (ppm):

No information available

Partition coefficient (n-octanol/water):

Viscosity:

No information available

Miscibility: Solubility:

No information available

Easily soluble in cold water Easily soluble in hot water

10. STABILITY AND REACTIVITY

Reactivity

May react with strong oxidizers

Chemical stability

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Incompatible materials.

Strong oxidizing agents **Incompatible Materials:**

Bromine trifluoride

Potassium permanganate

Strong acids Sulfuric acid

Hazardous decomposition

products:

No information available.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Eyes. Skin.

Acute Toxicity

Component Information

Water

Product code: C1608 Product name: CONDUCTIVITY

CALIBRATION STANDARD, 12,880

uS, SOLUTION

5/11

CAS-No. 7732-18-5

LD50/oral/rat = > 90 mL/kg Oral LD50 Rat

LD50/oral/mouse = No information available

LD50/dermal/rabbit = No information available

LD50/dermal/rat = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No infomation available

Other LD50 or LC50information = No information available

Potassium Chloride

CAS-No. 7447-40-7

LD50/oral/rat = = 2600 mg/kg Oral LD50 Rat

LD50/oral/mouse = 1500 mg/kg Oral LD50 Mouse

LD50/dermal/rabbit = No information available

LD50/dermal/rat = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No infomation available

Other LD50 or LC50information = No information available

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = No information available

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available

VALUE-Gas = No information available

VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

Product code: C1608

VALUE-Vapor = No information available

VALUE - Gas = No information available

VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: May cause skin irritation.

Eye Contact: May cause eye irritation.

Inhalation Inhalation of high concentrations of mist or vapor may cause respiratory tract

irritation.

Ingestion Health injuries are not known or expected under normal use.

Aspiration hazard No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Product name: CONDUCTIVITY CALIBRATION STANDARD, 12,880

Chronic Toxicity No information available.

Sensitization: No information available.

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed
Potassium Chloride	7447-40-7	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects: No information available No information available **Developmental Effects: Teratogenic Effects:** No information available

Specific Target Organ Toxicity

STOT - single exposure STOT - repeated exposure

Target Organs:

No information available. No information available. No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: Aquatic environment.

Potassium Chloride - 7447-40-7

Freshwater Algae Data: Freshwater Fish Species Data: 2500 mg/L EC50 Desmodesmus subspicatus 72 h

750 - 1020 mg/L LC50 Pimephales promelas 96 h static 1 1060 mg/L LC50 Lepomis macrochirus 96 h static 1

825 mg/L EC50 Daphnia magna 48 h Water Flea Data:

83 mg/L EC50 Daphnia magna 48 h

No information available Persistence and degradability:

No information available. Bioaccumulative potential:

No information available. **Mobility:**

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Product code: C1608 Product name: CONDUCTIVITY

CALIBRATION STANDARD, 12,880

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Water	7732-18-5	None	None	None	None
Potassium Chloride	7447-40-7	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: Not Regulated

Proper Shipping Name: No information available Hazard Class: No information available Subsidiary Class No information available Packing group: No information available Emergency Response Guide No information available

Number

Marine PollutantNo data availableDOT RQ (lbs):No information availableSpecial ProvisionsNo Information availableSymbol(s):No information availableDescription:No information available

TDG (Canada)

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
Marine Pollutant
Description:
No information available

ADR

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
No information available

IMO / IMDG

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
Marine Pollutant

No information available
No information available
No information available
No information available

RID

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
No information available
No information available

Product code: C1608 Product name: CONDUCTIVITY CALIBRATION STANDARD, 12,880

Packing Group: No information available

ICAO

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:

No information available
No information available
No information available

IATA

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
ERG Code:
No information available

15. REGULATORY INFORMATION

International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines	Japan ENCS	CHINA	Australia	EINECS-No.
				(PICCS)			(AICS)	
Water	7732-18-5	Present	Present KE-35400	Present	Not present	Present	Present	Present 231-791-2
Potassium Chloride	7447-40-7	Present	Present KE-29086	Present	Present (1)-228	Present	Present	Present 231-211-8

U.S. Regulations

Potassium Chloride

FDA - Food Additives Generally Recognized as Safe (GRAS): 21 CFR 184.1622

FDA - 21 CFR - Total Food Additives 150.141 150.161 166.110 184.1622 201.306

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
Water	7732-18-5	Not Listed	Not Listed	Not Listed	Not Listed
Potassium Chloride	7447-40-7	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CAS-No.	CERCLA -	Section 302	Section 302	Section 313 -	Section 313 -
		Hazardous	Extremely	Extremely	Chemical Category	Reporting
		Substances and their Reportable	Hazardous Substances	Hazardous Substances and		de minimis
		Quantities	and TPQs	RQs		
Water	7732-18-5	None	None	None	None	None
Potassium Chloride	7447-40-7	None	None	None	None	None

U.S. TSCA

Components			TSCA 8(d) -Health and Safety Reporting
Water	7732-18-5	Not Applicable	Not Applicable
Potassium Chloride	7447-40-7	Not Applicable	Not Applicable

Canada

WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification

Not a dangerous product according to HPR classification criteria.

Information:

Component WHMIS 2015 Hazard Classification

Water Not a dangerous product according to HPR classification criteria

7732-18-5 (99.26)

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

WHMIS 1988 Hazard Class

Non-controlled

Components WHMIS 1988

Water Uncontrolled product according to WHMIS classification

criteria

Potassium Chloride Uncontrolled product according to WHMIS classification

criteria including 23.8%

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)
Water	7732-18-5	Present	Not Listed
Potassium Chloride	7447-40-7	Present	Not Listed

Components	CAS-No.	CEPA Schedule I - Toxic Substances
Water	7732-18-5	Not listed
Potassium Chloride	7447-40-7	Not listed
Components	CAS-No.	CEPA - 2010 Greenhouse Gases Subject
		to Mandatory Reporting
Water	7732-18-5	Not listed
Potassium Chloride	7447-40-7	Not listed

EU Classification

EU GHS - SV - CLP 172/2008

Components	CAS-No.	EU GHS - SV - CLP (172/2008)
Water	7732-18-5	
Potassium Chloride	7447-40-7	

EU - CLP (1272/2008)

R-phrase(s)

not determined (not applicable)

Product code: C1608 Product name: CONDUCTIVITY 10 / 11 CALIBRATION STANDARD, 12,880

S -phrase(s)

none

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
Water	7732-18-5		No information	
Potassium Chloride	7447-40-7		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

None.

16. OTHER INFORMATION

Preparation Date: 6/22/2017
Revision Date: 6/22/2017
Prepared by: Sonia Owen

Disclaimer: All chemicals may pose unknown hazards and should be used with caution. This

Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the

completeness or accuracy of the information contained herein.

End of Safety Data Sheet

Product name: CONDUCTIVITY CALIBRATION STANDARD, 12,880 uS, SOLUTION