



Material Safety Data Sheet

| NFPA | HMIS | Personal Protective Equipment |
|------|-------------------------------|-------------------------------|
| 300 | Health Hazard 3 Fire Hazard 1 | |
| | Reactivity | See Section 15. |

| Section 1. Chemical Product and Company Identification | | | Page Number: 1 |
|--|--|-----------------------|--|
| Common Name/ Trade Name | Choline Hydroxide | Catalog Number(s). | C2744 |
| | | CAS# | Mixture. |
| Manufacturer | SPECTRUM LABORATORY PRODUCTS INC. | RTECS | GA4025500 |
| | 14422 S. SAN PEDRO STREET GARDENA, CA 90248 | TSCA | TSCA 8(b) inventory: Choline Hydroxide; Water |
| Commercial Name(s) | Bursine, Fagine, Gossypine, Luridine, Sincaline, Vidine | CI# | Not available. |
| Synonym | Ethanaminium, 2-hydroxy-N,N,N-trimethyl-, hydroxide 2-Hydroxyethyltrimeethylammonium Hydroxide | IN CASE OF EMERGENCY | |
| Chemical Name | Choline Hydroxide | CHEMTREC | C (24hr) 800-424-9300 |
| Chemical Family | Not available. | CALL (310) 516-8000 | |
| Chemical Formula | C5-H15-N-O2 | | |
| Supplier | SPECTRUM LABORATORY PRODUCTS INC. 14422 S. SAN PEDRO STREET GARDENA, CA 90248 | | |

| | | | Exposure Limits | | | |
|-----------------------------|--|-----------------------|-----------------|--------------|--------------|----------------|
| Name | | CAS# | TWA (mg/m³) | STEL (mg/m³) | CEIL (mg/m³) | % by Weight |
| Water Choline Hydroxide | | 7732-18-5 123-41-1 | | | | 50-55 45-50 |

Section 3. Hazards Identification

Potential Acute Health Effects Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

Continued on Next Page

| Choline Hydroxide | Page Number: 2 |
|-------------------------------------|---|
| Potential Chronic Health Effects | Non-corrosive for skin. Non-irritant for skin. Non-sensitizer for skin. Non-permeator by skin. Non-irritating to the eyes. Non-hazardous in case of ingestion. Non-hazardous in case of inhalation. Non-irritant for lungs. Non-sensitizer for lungs. CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection. |

| Section 4. First A | id Measures |
|--------------------------|---|
| Eye Contact | Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately. |
| Skin Contact | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately. |
| Serious Skin Contact | Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention. |
| Inhalation | If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately. |
| Serious Inhalation | Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. Seek medical attention. |
| Ingestion | Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Serious Ingestion | Not available. |

| Section 5. Fire and E. | xplosion Data |
|---|---|
| Flammability of the Product | May be combustible at high temperature. |
| Auto-Ignition Temperature | Not available. |
| Flash Points | Not available. |
| Flammable Limits | Not available. |
| Products of Combustion | Not available. |
| Fire Hazards in Presence of Various Substances | Slightly flammable to flammable in presence of heat. Non-flammable in presence of open flames and sparks, of shocks, of oxidizing materials, of reducing materials, of combustible materials, of organic materials, of metals, of acids, of alkalis. |
| Explosion Hazards in Presence of Various Substances | Non-explosive in presence of open flames and sparks, of shocks. |
| Fire Fighting Media and Instructions | SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. Do not use water jet. |
| Special Remarks on Fire Hazards | Not available. |
| Special Remarks on Explosion Hazards | Not available. |

| Choline Hydroxide | | | Page Number: 3 | |
|---|--|---------------------------------|--|--|
| Section 6. Accidental | Release Measures | | | |
| Small Spill | Dilute with water and mop up, or absorb with an container. | inert dry | material and place in an appropriate waste disposal | |
| Large Spill | Corrosive liquid. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all ignition sources. Call for assistance on disposal. | | | |
| Section 7. Handling and Storage | | | | |
| Precautions | risk, evaporate the residue under a fume hood. gas/fumes/ vapor/spray. Never add water to th | Ground is productical attention | m sources of ignition. Empty containers pose a fire all equipment containing material. Do not breathe t. In case of insufficient ventilation, wear suitable tion and show the label when possible. Avoid contact oxidizing agents. | |
| Storage | Keep container tightly closed. Keep container in a d | ool, well- | ventilated area. | |
| Section 8. Exposure | Controls/Personal Protection | | | |
| Engineering Controls | | | eep the airborne concentrations of vapors below their stations and safety showers are proximal to the | |
| Personal Protection | Face shield. Full suit. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots. | | | |
| Personal Protection in Case of a Large Spill | Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product. | | | |
| Exposure Limits | Not available. | | | |
| Section 9. Physical a | nd Chemical Properties | | | |
| Physical state and appearance | Liquid. | Odor | Not available. | |
| Molecular Weight | 121.18 | Taste | Not available. | |
| pH (1% soln/water) | Neutral. | Color | Amber. | |
| Boiling Point | The lowest known value is 100°C (212°F) (Water). | | | |
| Melting Point | Not available. | | | |
| Critical Temperature | Not available. | | | |
| Specific Gravity | 1.073 (Water = 1) | | | |
| Vapor Pressure | The highest known value is 2.3 kPa (@ 20°C) (Wa | ter). | | |
| Vapor Density | The highest known value is 0.62 (Air = 1) (Water). | | | |
| Volatility | Not available. | | | |
| Odor Threshold | Not available. | - | | |
| Water/Oil Dist. Coeff. | Not available. | | | |
| Ionicity (in Water) | Not available. | | | |
| Dispersion Properties | See solubility in water. | | | |
| Solubility | Easily soluble in cold water, hot water. | | | |

| Choline Hydroxide | | Page Number: 4 |
|---|-------------------------------------|----------------|
| Section 10. Stability and Reactivity Data | | |
| Stability | The product is stable. | |
| Instability Temperature | Not available. | |
| Conditions of Instability | Excess heat, incompatible materials | |
| Incompatibility with various substances | Reactive with oxidizing agents. | |
| Corrosivity | Non-corrosive in presence of glass. | |
| Special Remarks on Reactivity | Absorbs CO2 from air. | |
| Special Remarks on Corrosivity | Not available. | |
| Polymerization | Will not occur. | |

| Section 11. Toxicolo | gical Information |
|---|---|
| Routes of Entry | Absorbed through skin. Eye contact. Inhalation. Ingestion. |
| Toxicity to Animals | LD50: Not available. LC50: Not available. |
| Chronic Effects on Humans | Not available. |
| Other Toxic Effects on Humans | Very hazardous in case of skin contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive). |
| Special Remarks on Toxicity to Animals | Not available. |
| Special Remarks on Chronic Effects on Humans | Not available. |
| Special Remarks on other Toxic Effects on Humans | Acute Potential Health Effects: Skin: Causes skin burns Eyes: Causes eye burns. May cause corneal damage or blindness Inhalation: May cause severe respiratory tract and mucous membrane irritation. Inhalation may result in spasm, inflammation and edema of the bronchi, and larynx, chemical pneumonitis, and pulmonary edema. Symptoms may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea and vomiting. Ingestion: Harmful if swallowed. May cause severe digestive tract irritation with abdominal pain, nausea, and vomiting, and possible burns of the mouth and throat. May affect behavior (convulsions, excitement), and respiration (dyspnea). The toxicological properties of this substance have not been fully investigated. |

| Section 12. Ecological Information | | | |
|---|---|--|--|
| Ecotoxicity | Not available. | | |
| BOD5 and COD | Not available. | | |
| Products of Biodegradation | Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise. | | |
| Toxicity of the Products of Biodegradation | Not available. | | |
| Special Remarks on the Products of Biodegradation | Not available. | | |

Choline Hydroxide Page Number: 5

Section 13. Disposal Considerations

Waste Disposal

Evaporate water from the solution at water-aspirator pressure. Maintain heating bath temperature <50 C. Dissolve the residue in a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Section 14. Transport Information DOT Classification Class 8: Corrosive material Identification : Amine, liquid, corrosive, n.o.s. (Choline Hydroxide) (Choline Hydroxide) UNNA: 2735 PG: II Special Provisions for Transport DOT (Pictograms)

Section 15. Other Regulatory Information and Pictograms

Federal and State Regulations TSCA 8(b) inventory: Choline Hydroxide; Water

California Proposition 65 Warnings

Other Regulations

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200). EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.

Other Classifications

WHMIS (Canada) Not controlled under WHMIS (Canada).

DSCL (EEC)

R34- Causes burns.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S27- Take off immediately all contaminated clothing.

S28- After contact with skin, wash immediately with plenty of water.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.


S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

HMIS (U.S.A.)



National Fire Protection Association (U.S.A.)

Health



WHMIS (Canada) (Pictograms)



Choline Hydroxide

DSCL (Europe) (Pictograms)



TDG (Canada) (Pictograms)



ADR (Europe) (Pictograms)



Protective Equipment



Gloves.



Full suit.



Vapor respirator. Be sure to use an approved/certified respirator or equivalent.



Face shield.

Section 16. Other Information

MSDS Code C5691

References Not available.

Other Special Considerations

Not available.

Validated by Sonia Owen on 8/11/2006.

Verified by Sonia Owen.

Printed 9/11/2006.

Page Number: 6

CALL (310) 516-8000

Notice to Reader

All chemicals may pose unknown hazards and should be used with caution. This Material Safety Data Sheet (MSDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this MSDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this MSDS is based on technical data judged to be reliable, Spectrum Quality Products, Inc. assumes no responsibility for the completeness or accuracy of the information contained herein.