




## **Material Safety Data Sheet**



| Section 1. Chem  | ical Product and Company Identification   |                       | Page Number: 1  |  |
|--|---|-----------------------|---|--|
| Common Name/<br>Trade Name   | Polydimethylsiloxane, Silanol Terminated  | Catalog<br>Number(s). | P2966   |  |
|  | (M.W. 400-700)  | CAS#                  | 70131-67-8  |  |
| Manufacturer   | SPECTRUM LABORATORY PRODUCTS INC.   | RTECS                 | VW3157812   |  |
|  | 14422 S. SAN PEDRO STREET<br>GARDENA, CA 90248                                      | TSCA                  | TSCA 8(b) inventory:<br>Polydimethylsiloxane, Silanol<br>Terminated |  |
| Commercial Name(s)   | Not available.  | CI# Not available.    |   |  |
| Synonym alpha-Hydro-omega-hydroxypoly(dimethylsiloxane);<br>Poly[oxy(dimethylsilylene);<br>Silanol-terminated di-Me siloxanes;<br>Di-Me hydroxy-terminated siloxanes;<br>Hydroxy-terminated di-Me polysiloxanes<br>Hydroxy-terminated di-Me siloxanes;<br>Silanol group-terminated di-Me polydimethylsiloxanes;<br>Silanol-terminated di-Me polysiloxanes;<br>Silanol-terminated di-Me siloxanes;<br>Silanol-terminated di-Me siloxanes;<br>Silanol-terminated di-Me siloxanes;<br>Silanol-terminated di-Me siloxanes;<br>Silanol-terminated di-Me siloxanes;<br>Silanol-terminated polydimethylsiloxanes; |   |                       | EMERGENCY<br>2 (24hr) 800-424-9300                                  |  |
| Chemical Name  | Siloxanes and silicones, dimethyl, hydroxy terminated                               |                       |   |  |
| Chemical Family  | Not available.  |                       | CALL (310) 516-8000   |  |
| Chemical Formula   | Not available.  |                       |   |  |
| Supplier   | SPECTRUM LABORATORY PRODUCTS INC.<br>14422 S. SAN PEDRO STREET<br>GARDENA, CA 90248 |                       |   |  |

| Section 2.Composition and Information on Ingredients |            |                          |                           |                           |             |
|--|------------|--------------------------|---------------------------|---------------------------|-------------|
|  |            |                          | Exposure Limits           |                           |             |
| Name   | CAS #      | TWA (mg/m <sup>3</sup> ) | STEL (mg/m <sup>3</sup> ) | CEIL (mg/m <sup>3</sup> ) | % by Weight |
| 1) Polydimethylsiloxane, Silanol Terminated          | 70131-67-8 |                          |                           |                           | 100         |
| Toxicological Data Not applicable.<br>on Ingredients |            | 1                        | 1                         |                           |             |

| Polydimethylsiloxan<br>(M.W. 400-700)                  | e, Silanol Terminated Page Number: 2   |
|--|--|
| Section 3. Hazards Id                                  | lentification  |
| Potential Acute Health Effects                         | Hazardous in case of skin contact (irritant). Slightly hazardous in case of skin contact (permeator), of excontact (irritant), of ingestion, of inhalation.  |
| Potential Chronic Health<br>Effects                    | CARCINOGENIC EFFECTS: Not available.<br>MUTAGENIC EFFECTS: Not available.<br>TERATOGENIC EFFECTS: Not available.<br>DEVELOPMENTAL TOXICITY: Not available.<br>Repeated or prolonged exposure is not known to aggravate medical condition.                                    |
| Section 4. First Aid N                                 | leasures   |
| Eye Contact  | Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water f<br>at least 15 minutes. Get medical attention if irritation occurs.   |
| Skin Contact   | Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops.  |
| Serious Skin Contact                                   | Not available.   |
| Inhalation   | If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxyge Get medical attention.   |
| Serious Inhalation                                     | Not available.   |
| Ingestion  | Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to a unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loose tight clothing such as a collar, tie, belt or waistband. |
| Serious Ingestion                                      | Not available.   |
| Section 5. Fire and Ex                                 | xplosion Data  |
| Flammability of the Product                            | Combustible.   |
| Auto-Ignition Temperature                              | 420°C (788°F)  |
| Flash Points   | CLOSED CUP: 66℃ (150.8뚜).  |
| Flammable Limits                                       | Not available.   |
| Products of Combustion                                 | Not available.   |
| Fire Hazards in Presence of<br>Various Substances      | Slightly flammable to flammable in presence of open flames and sparks, of heat.  |
| Explosion Hazards in Presence<br>of Various Substances | Risks of explosion of the product in presence of mechanical impact: Not available.<br>Risks of explosion of the product in presence of static discharge: Not available.  |
| Fire Fighting Media<br>and Instructions                | SMALL FIRE: Use DRY chemical powder.<br>LARGE FIRE: Use water spray, fog or foam. Do not use water jet.  |
| Special Remarks on<br>Fire Hazards                     | Not available.   |
| Special Remarks on Explosion<br>Hazards                | Not available.   |

| Polydimethylsiloxan<br>(M.W. 400-700)           | e, Silanol Terminated   |             | Page Number: 3  |
|---|---|-------------|---|
| Section 6. Accidental                           | Release Measures  |             |   |
| Small Spill                                     | Absorb with an inert material and put the spilled r   | naterial in | an appropriate waste disposal.  |
| Large Spill                                     | Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.  |             |   |
| Section 7. Handling a                           | and Storage   |             |   |
| Precautions                                     |   | ipment co   | <ul> <li>Empty containers pose a fire risk, evaporate the<br/>ontaining material. Do not breathe gas/fumes/<br/>ring agents.</li> </ul> |
| Storage   | Keep container tightly closed. Keep container in  | a cool, we  | II-ventilated area.   |
| Section 8. Exposure                             | Controls/Personal Protection  |             |   |
| Engineering Controls                            |   |             | b keep the airborne concentrations of vapors below<br>sh stations and safety showers are proximal to the                                |
| Personal Protection                             | Safety glasses. Synthetic apron. Gloves (impervious). Respiratory protection is not necessary for normal handling. Good room ventilation or use of local exhaust (fume hood) is sufficient. Use a vapor respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapor, inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to use an approved/certified respirator or equivalent. |             |   |
| Personal Protection in Case of<br>a Large Spill |   |             |   |
| Exposure Limits                                 | Not available.  |             |   |
| Section 9. Physical a                           | nd Chemical Properties  |             |   |
| Physical state and appearance                   | Liquid.   | Odor        | Not available.  |
| Molecular Weight                                | Average M.W. 400-700 g/mole   | Taste       | Not available.  |
| pH (1% soln/water)                              | Not applicable.   | Color       | Clear   |
| Boiling Point                                   | >205℃ (401뚜)  |             |   |
| Melting Point                                   | <-60°C (-76°F)  |             |   |
| Critical Temperature                            | Not available.  |             |   |
| Specific Gravity                                | 0.96 (Water = 1)  |             |   |
| Vapor Pressure                                  | Not available.  |             |   |
| Vapor Density                                   | Not available.  |             |   |
| Volatility                                      | Not available.  |             |   |
| Odor Threshold                                  | Not available.  |             |   |
| Water/Oil Dist. Coeff.                          | Not available.  |             |   |
| Ionicity (in Water)                             | Not available.  |             |   |
| <b>Dispersion Properties</b>                    | Not available.  |             |   |
| Solubility                                      | Insoluble in cold water, hot water.   |             |   |

| Polydimethylsiloxane, Silanol Terminated | ł |
|--|---|
| (M.W. 400-700)                           |   |

| Section 10. Sta | ability and Reactivity Data |
|-----------------|-----------------------------|

| Section 10. Stability and Reactivity Data |                                     |  |  |  |
|---|-------------------------------------|--|--|--|
| Stability                                 | The product is stable.              |  |  |  |
| Instability Temperature                   | Not available.                      |  |  |  |
| Conditions of Instability                 | Excess heat, incompatible materials |  |  |  |
| Incompatibility with various substances   | Reactive with oxidizing agents.     |  |  |  |
| Corrosivity                               | Not available.                      |  |  |  |
| Special Remarks on<br>Reactivity          | Not available.                      |  |  |  |
| Special Remarks on<br>Corrosivity         | Not available.                      |  |  |  |
| Polymerization                            | Will not occur.                     |  |  |  |
| 4   |                                     |  |  |  |

| Section 11. Toxicological Information               |   |  |  |
|---|---|--|--|
| Routes of Entry                                     | Absorbed through skin. Eye contact.   |  |  |
| Toxicity to Animals                                 | LD50: Not available.<br>LC50: Not available.  |  |  |
| Chronic Effects on Humans                           | Not available.  |  |  |
| Other Toxic Effects on<br>Humans                    | Hazardous in case of skin contact (irritant).<br>Slightly hazardous in case of skin contact (permeator), of ingestion, of inhalation.   |  |  |
| Special Remarks on<br>Toxicity to Animals           | Lethal Dose/Conc 50% Kill:<br>LD50[Rat] - Route: Oral; Dose: >64/mL/kg<br>LD50[Rabbit] - Route: Skin; Dose: >16 mL/kg   |  |  |
| Special Remarks on<br>Chronic Effects on Humans     | Not available.  |  |  |
| Special Remarks on other<br>Toxic Effects on Humans | Acute Potential Health Effects:<br>Skin: May cause skin irritation.<br>Eyes: Causes eye irritation.<br>Inhalation: Inhalation of mist or vapor may cause respiratory tract irritation.<br>Ingestion: Expected to be a low hazard. May affect gastrointestinal system, urinary system, liver, metabolism |  |  |

| Section 12. Ecological Information                   |   |  |  |
|--|---|--|--|
| Ecotoxicity  | Not available.  |  |  |
| BOD5 and COD   | Not available.  |  |  |
| Products of Biodegradation                           | Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise. |  |  |
| Toxicity of the Products of Biodegradation           | Not available.  |  |  |
| Special Remarks on the<br>Products of Biodegradation | Not available.  |  |  |

| Polydimethylsilox<br>(M.W. 400-700)      | rane, Silanol Terminated   | Page Number: 5   |
|--|--|--|
|  | al Considerations  |  |
| Waste Disposal                           | Waste must be disposed of in accordance with fede control regulations.   | eral, state and local environmental  |
| Section 14. Trans                        | port Information   |  |
| DOT Classification                       | Not a DOT controlled material (United States).   |  |
| Identification                           | Not applicable.  |  |
| Special Provisions for<br>Transport      | Not applicable.  |  |
| DOT (Pictograms)                         |  |  |
| Section 15. Other                        | Regulatory Information and Pictograms  |  |
| Federal and State<br>Regulations         | TSCA 8(b) inventory: Polydimethylsiloxane, Silanol Terminated<br>TSCA 8(a) PAIR: Polydimethylsiloxane, Silanol Terminated<br>TSCA 8(d) H and S data reporting: Polydimethylsiloxane, Silar<br>Sunset date: 6-30-98   |  |
| California<br>Proposition 65<br>Warnings | California prop. 65: This product contains the following ing<br>found to cause cancer which would require a warning unde<br>California prop. 65: This product contains the following ing<br>found to cause birth defects which would require a warning   | er the statute: No products were found.<br>gredients for which the State of California has |
| Other Regulations                        | EINECS: This product is not on the European Inventory of Exis<br>Canada: Listed on Canadian Domestic Substance List (DSL).<br>China: Listed on National Inventory.<br>Japan: Not listed on National Inventory (ENCS).<br>Korea: Listed on National Inventory (KECI).<br>Philippines: Listed on National Inventory (PICCS).<br>Australia: Listed on AICS. |  |
| Other Classifications                    | WHMIS (Canada)CLASS B-3: Combustible liquid with a fl<br>(200F).   | lash point between 37.8 $^\circ$ (100F) and 93.3 $^\circ$                                  |
|  | DSCL (EEC) This product is not classified according to the EU regulations.   | Not applicable.  |
| HMIS (U.S.A.)                            | Health Hazard2Fire Hazard2Reactivity0Personal ProtectionC  | Health Flammability<br>Reactivity<br>Specific hazard                                       |
| WHMIS (Canada)<br>(Pictograms)           |  |  |
| DSCL (Europe)<br>(Pictograms)            |  |  |
| Continued on Ne                          | vt Paga  |  |

| Polydimethylsiloxar<br>(M.W. 400-700) | ne, Silanol Terminated             | Page Number: 6 |
|---------------------------------------|------------------------------------|----------------|
| TDG (Canada)<br>(Pictograms)          |                                    |                |
| ADR (Europe)<br>(Pictograms)          |                                    |                |
| Protective Equipment                  | Gloves (impervious).               |                |
|                                       | Synthetic apron.                   |                |
|                                       | Not applicable.<br>Safety glasses. |                |
|                                       |                                    |                |
|                                       |                                    |                |
| Section 16. Other Inf                 | formation                          |                |

| MSDS Code                             | ZQ800          |   |  |  |  |
|---------------------------------------|----------------|---|--|--|--|
| References                            | Not available. |   |  |  |  |
| Other Special<br>Considerations       | Not available. |   |  |  |  |
| Validated by Sonia Owen on 1/14/2013. |                | Verified by Sonia Owen.<br>Printed 1/14/2013. |  |  |  |
| CALL (310) 516-800                    | 0              |   |  |  |  |

## Notice to Reader

All chemicals may pose unknown hazards and should be used with caution. This Material Safety Data Sheet (MSDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this MSDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this MSDS is based on technical data judged to be reliable, Spectrum Quality Products, Inc. assumes no responsibility for the completeness or accuracy of the information contained herein.